Hit List

Clear: Generate Collection Print Fwd Refs Bkwd Refs
Generate OACS

Search Results - Record(s) 21 through 30 of 31 returned.

☐ 21. Document ID: US 20020116735 A1

Using default format because multiple data bases are involved.

L1: Entry 21 of 31

File: PGPB

Aug 22, 2002

PGPUB-DOCUMENT-NUMBER: 20020116735

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20020116735 A1

TITLE: Nucleic acids encoding a plant enzyme involved in very long chain fatty acid

synthesis

PUBLICATION-DATE: August 22, 2002

INVENTOR-INFORMATION:

NAME

CITY

STATE

COUNTRY

RULE-47

Kunst, Ljerka

North Vancouver

CA

Millar, Anthony A.

Vancouver

CA

US-CL-CURRENT: 800/281; 435/193, 435/320.1, 435/410, 530/370, 536/23.2, 536/23.6, 800/286, 800/287

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWC	Draw, De

☐ 22. Document ID: US 20020038471 A1

L1: Entry 22 of 31

File: PGPB

Mar 28, 2002

PGPUB-DOCUMENT-NUMBER: 20020038471

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20020038471 A1

TITLE: Use of VLCFAE for identifying herbicidally active compounds

PUBLICATION-DATE: March 28, 2002

INVENTOR - INFORMATION:

NAME

CITY

STATE COUNTRY

RULE-47

Lechelt-Kunze, Christa

Koln

DE

Meissner, Ruth

Leverkusen

DE

Tietjen, Klaus

Langenfeld

DE

US-CL-CURRENT: 800/300; 530/370, 536/23.6, 536/24.1, 800/278

Full Title	Citation Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw, De
\square 23.	Document ID:	: US 6	677145 B2							
L1: Entry	23 of 31				File: US	SPT		Jan	13,	2004

US-PAT-NO: 6677145

DOCUMENT-IDENTIFIER: US 6677145 B2

TITLE: Elongase genes and uses thereof

DATE-ISSUED: January 13, 2004

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY
Mukerji; Pradip . Gahanna OH
Leonard; Amanda Eun-Yeong Gahanna OH
Huang; Yung-Sheng Upper Arlington OH

Pereira; Suzette L. Westerville OH

US-CL-CURRENT: 435/193; 435/252.31, 435/252.33, 435/254.11, 435/254.21, 435/254.22, 435/254.23, 435/254.3, 435/254.4, 435/254.5, 435/254.6, 435/320.1, 435/328, 435/348, 435/419, 536/23.2

Full Title	Citation Front Revi	iew Classification	Date Refer	ence Table No.	wer'nner's (Claims	KWIC	Draw. De
□ 24.	Document ID: U	S 6635451 B2						
L1: Entry	24 of 31		File	: USPT		Oct :	21,	2003

US-PAT-NO: 6635451

DOCUMENT-IDENTIFIER: US 6635451 B2


TITLE: Desaturase genes and uses thereof

DATE-ISSUED: October 21, 2003

INVENTOR-INFORMATION:

CITY STATE ZIP CODE COUNTRY NAME Mukerji; Pradip Gahanna OH Huang; Yung-Sheng Columbus OH Das; Tapas Worthington OH Thurmond; Jennifer Columbus OH Pereira; Suzette L. Westerville OH

US-CL-CURRENT: 435/71.1; 424/93.21, 424/93.7, 435/189, 435/320.1, 536/23.1, 536/23.2



US-PAT-NO: 6428990

DOCUMENT-IDENTIFIER: US 6428990 B1

TITLE: Human desaturase gene and uses thereof

DATE-ISSUED: August 6, 2002

INVENTOR-INFORMATION:

CITY STATE ZIP CODE COUNTRY NAME Gahanna Mukerji; Pradip Leonard; Amanda Eun-Yeong Gahanna OH Huang; Yung-Sheng Columbus OH Parker-Barnes; Jennifer M. New Albany OH

US-CL-CURRENT: <u>435/134</u>; <u>435/135</u>, <u>435/136</u>, <u>435/189</u>, <u>435/252.3</u>, <u>435/320.1</u>, <u>530/350</u>, <u>536/23.2</u>

Full Title	Citation Front	Review	Classification	Date	Reference		Hisphinesis	Claims	KWAC	Draw	De
□ 26.	Document II): US 6	403349 B1			www.		**************************************	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		**************
L1: Entry	, 26 of 31				File: U	SPT		Jun	11,	2002	

US-PAT-NO: 6403349

DOCUMENT-IDENTIFIER: US 6403349 B1

TITLE: Elongase gene and uses thereof

DATE-ISSUED: June 11, 2002

INVENTOR-INFORMATION:

CITY STATE ZIP CODE COUNTRY NAME Mukerji; Pradip Gahanna OH Leonard; Amanda Eun-Yeong Gahanna OH Huang; Yung-Sheng Upper Arlington OH Thurmond; Jennifer Columbus OH Kirchner; Stephen J. Westerville OH

US-CL-CURRENT: 435/183; 435/252.3, 435/254.1, 435/320.1, 435/325, 536/23.1, 536/23.2

			-						
Full	Title	Citation	Front	Review	Classification	Date	Reference Septembers Africhingens, Claim	s KMMC	Draw, De

☐ 27. Document ID: US 6342657 B1

L1: Entry 27 of 31

File: USPT

Jan 29, 2002

US-PAT-NO: 6342657

DOCUMENT-IDENTIFIER: US 6342657 B1

TITLE: Seed specific promoters

DATE-ISSUED: January 29, 2002

INVENTOR - INFORMATION:

NAME

CITY

STATE ZIP CODE

COUNTRY

Thomas; Terry L. Hsieh; Tzung-Fu

College Station College Station TX TX

 $\text{US-CL-CURRENT: } \underline{800}/\underline{287}; \ \underline{435}/\underline{320.1}, \ \underline{435}/\underline{419}, \ \underline{435}/\underline{468}, \ \underline{435}/\underline{471}, \ \underline{435}/\underline{69.1}, \ \underline{536}/\underline{24.1},$ 800/281, 800/298, 800/306, 800/312, 800/314, 800/320.1, 800/322

Full Title Citation	Front Revie	v Classification	Date	Reference	Sept. 1. 3. (90)	chinanis Clair	ns KWMC	Draw, De
						•		

☐ 28. Document ID: US 6274790 B1

L1: Entry 28 of 31

File: USPT

Aug 14, 2001

US-PAT-NO: 6274790

DOCUMENT-IDENTIFIER: US 6274790 B1

TITLE: Nucleic acids encoding a plant enzyme involved in very long chain fatty acid synthesis

DATE-ISSUED: August 14, 2001

INVENTOR - INFORMATION:

NAME

CITY

STATE ZIP CODE

COUNTRY

Kunst; Ljerka

North Vancouver

CA

Millar; Anthony A.

Vancouver

CA

US-CL-CURRENT: 800/287; 435/468, 536/24.1, 800/281, 800/298

Full Title Citation Front Review Classification Date Reference Colleges Attackments Claims KMC Draw De

☐ 29. Document ID: US 6100450 A

L1: Entry 29 of 31

File: USPT

Aug 8, 2000

US-PAT-NO: 6100450

DOCUMENT-IDENTIFIER: US 6100450 A

TITLE: Seed specific promoters based on arabidopsis genes

DATE-ISSUED: August 8, 2000

INVENTOR-INFORMATION:

NAME

CITY

STATE ZIP CODE

COUNTRY

Thomas; Terry L. Nuccio; Michael

Melrose

College Station

TX FL

Full Title	Citation Front	Review	Classification	Date	Reference	10 (1) (10	Ancello and	Claims	KWIC	Draw, De
								·		
L 30.	Document ID	: US 59	977436 A							
L1: Entry	30 of 31				File:	USPT		Nov	2,	1999
-										

US-PAT-NO: 5977436

DOCUMENT-IDENTIFIER: US 5977436 A

** See image for Certificate of Correction **

TITLE: Oleosin 5' regulatory region for the modification of plant seed lipid composition

DATE-ISSUED: November 2, 1999

INVENTOR-INFORMATION:

NAME

CITY

STATE

ZIP CODE COUNTRY

Thomas; Terry L.

College Station

TX

Li; Zhongsen

College Station

TX

Full	Title Citation	Front Re	view Cla	ssification	Date	Reference	Standingsda	the Sing	nts. Claims	KWMC	Draw, De
Clear	Genera	ate Collect	ion	Print		wd Refs	Bkwo	d Refs	Gener	ate OA	vcs 🚶
	Terms					Docu	ments				
	elongase.cli	m.								31	

<u>Display Format:</u>	-	Change Format
------------------------	---	---------------

Previous Page

Next Page

Go to Doc#

Record Display Form Page 1 of 2

First Hit Fwd Refs

Generate Collection Print

L1: Entry 23 of 31

File: USPT

Jan 13, 2004

US-PAT-NO: 6677145

DOCUMENT-IDENTIFIER: US 6677145 B2

TITLE: Elongase genes and uses thereof

DATE-ISSUED: January 13, 2004

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Mukerji; Pradip Gahanna OH
Leonard; Amanda Eun-Yeong Gahanna OH
Huang; Yung-Sheng Upper Arlington OH
Pereira; Suzette L. Westerville OH

US-CL-CURRENT: 435/193; 435/252.31, 435/252.33, 435/254.11, 435/254.21, 435/254.22, 435/254.23, 435/254.3, 435/254.4, 435/254.5, 435/254.6, 435/320.1, 435/328, 435/348, 435/419, 536/23.2

CLAIMS:

What is claimed is:

- 1. An isolated nucleic acid sequence comprising or complementary to a nucleic acid sequence encoding a polypeptide having <u>elongase</u> activity, wherein the amino acid sequence of said polypeptide has at least 80% amino acid sequence identity to SEQ ID NO:7.
- 2. The isolated nucleic acid sequence of claim 1 wherein said sequence comprises SEQ ID NO:7.
- 3. The isolated nucleic acid sequence of claims 1 or 2 wherein said sequence encodes a functionally active <u>elongase</u> which utilizes a polyunsaturated fatty acid as a substrate.
- 4. The isolated nucleic acid sequence of claim 1 wherein said sequence is derived from the genus Thraustochytrium.
- 5. The isolated nucleic acid sequence of claim 4 wherein said sequence is derived from Thraustochytrium aureum.
- 6. A method of producing an <u>elongase</u> enzyme comprising the steps of: a) isolating a nucleotide sequence comprising SEQ ID NO:7 (FIG. 72); b) constructing a vector comprising: i) said isolated nucleotide sequence operably linked to ii) a promoter; c) introducing said vector into a host cell under time and conditions sufficient for expression of said <u>elongase</u> enzyme.
- 7. The method of claim 6 wherein said host cell is selected from the group consisting of a

eukaryotic cell or a prokaryotic cell.

- 8. The method of claim 7 wherein said prokaryotic cell is selected from the group consisting of E. coli, Cyanobacteria, and B. subtilis.
- 9. The method of claim 7 wherein said eukaryotic cell is selected from the group consisting of a mammalian cell, an insect cell, a plant cell and a fungal cell.
- 10. The method of claim 9 wherein said fungal cell is selected from the group consisting of Saccharomyces spp., Candida spp., Lipomyces starkey, Yarrowia spp., Kluyveromyces spp., Hansenula spp., Aspergillus spp., Penicillium spp., Neurospora spp., Trichoderma spp. and Pichia spp.
- 11. The method of claim 10 wherein said fungal cell is a yeast cell selected from the group consisting of Saccharomyces spp., Candida spp., Hansenula spp. and Pichia spp.
- 12. The method of claim 11 wherein said yeast cell is Saccharomyces cerevisiae.
- 13. A vector comprising: a) a nucleotide sequence comprising SEQ ID NO:7 (FIG. 72) operably linked to b) a promoter.
- 14. A host cell comprising said vector of claim 13.
- 15. The host cell of claim 14 wherein said host cell is selected from the group consisting of a eukaryotic cell or a prokaryotic cell.
- 16. The host cell of claim 15 wherein said prokaryotic cell is selected from the group consisting of E. coli, Cyanobacteria, and B. subtilis.
- 17. The host cell of claim 15 wherein said eukaryotic cell is selected from the group consisting of a mammalian cell, an insect cell, a plant cell and a fungal cell.
- 18. The host cell of claim 17 wherein said fungal cell is selected from the group consisting of Saccharomyces spp., Candida spp., Lipomyces starkey, Yarrowia spp., Kluyveromyces spp., Hansenula spp., Aspergillus spp., Penicillium spp., Neurospora spp., Trichoderma spp. and Pichia spp.
- 19. The host cell of claim 18 wherein said fungal cell is a yeast cell selected from the group consisting of Saccharomyces spp., Candida spp., Hansenula spp. and Pichia spp.
- 20. The host cell of claim 19 wherein said yeast cell is Saccharomyces cerevisiae.
- 21. A plant cell comprising said vector of claim 13, wherein expression of said nucleotide sequence of said vector results in production of a polyunsaturated fatty acid by said plant cell.
- 22. The plant cell of claim 21 wherein said polyunsaturated fatty acid is selected from the group consisting of dihom-.gamma.-linolenic acid (DGLA), 20:4n-3, adrenic acid (ADA) and .omega.3-docosapentaenoic acid.

First Hit Fwd Refs



L1: Entry 25 of 31

File: USPT

OH

Aug 6, 2002

US-PAT-NO: 6428990

DOCUMENT-IDENTIFIER: US 6428990 B1

TITLE: Human desaturase gene and uses thereof

DATE-ISSUED: August 6, 2002

Parker-Barnes; Jennifer M.

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY
Mukerji; Pradip Gahanna OH
Leonard; Amanda Eun-Yeong Gahanna OH
Huang; Yung-Sheng Columbus OH

US-CL-CURRENT: <u>435/134; 435/135, 435/136, 435/189, 435/252.3, 435/320.1, 530/350</u>,

New Albany

536/23.2

CLAIMS:

What is claimed is:

- 1. A method for producing a polyunsaturated fatty acid comprising the steps of: a) isolating said nucleotide sequence represented by SEQ ID NO:1 (FIG. 12); b) constructing a vector comprising said isolated nucleotide sequence; c) introducing said vector into a host cell under time and conditions sufficient for expression of said human .DELTA.5-desaturase enzyme; and d) exposing said expressed human .DELTA.5-desaturase enzyme to a substrate polyunsaturated fatty acid in order to convert said substrate to a product polyunsaturated fatty acid.
- 2. The method according to claim 1, wherein said substrate polyunsaturated fatty acid is dihomogamma.-linolenic acid (DGLA) or 20:4n-3 and said product polyunsaturated fatty acid is arachidonic acid (AA) or eicosapentaenoic acid (EPA), respectively.
- 3. The method according to claim 1 further comprising the step of exposing said product polyunsaturated fatty acid to an <u>elongase</u> in order to convert said product polyunsaturated fatty acid to another polyunsaturated fatty acid.
- 4. The method according to claim 3 wherein said product polyunsaturated fatty acid is AA or EPA and said another polyunsaturated fatty acid is adrenic acid or (n-3)-docosapentaenoic acid, respectively.
- 5. The method of claim 3 further comprising the steps of exposing said another polyunsaturated fatty acid to an additional desaturase in order to convert said another polyunsaturated fatty acid to a final polyunsaturated fatty acid.

WEST Search History

Hide Items	Restore	Clear	Cancel

DATE: Tuesday, June 22, 2004

Hide?	Set Name	e Query	Hit Count
	DB=PGF	PB, USPT, USOC, EPAB, JPAB; PLUR=YA	ES; OP=ADJ
	L5	L1 with Caenorhabditis elegans	0
	L4	L1 and Caenorhabditis elegans	15
	L3	L1 and C. elegans	0
	L2	L1 and dna	30
	L1	elongase.clm.	31

END OF SEARCH HISTORY

=> file medline hcaplus biosis scisearch embase biotechds

COST IN U.S. DOLLARS SINCE FILE TOTAL

ENTRY SESSION 0.42 0.42

FILE 'MEDLINE' ENTERED AT 14:28:56 ON 22 JUN 2004

FILE 'HCAPLUS' ENTERED AT 14:28:56 ON 22 JUN 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'BIOSIS' ENTERED AT 14:28:56 ON 22 JUN 2004 COPYRIGHT (C) 2004 BIOLOGICAL ABSTRACTS INC.(R)

FILE 'SCISEARCH' ENTERED AT 14:28:56 ON 22 JUN 2004 COPYRIGHT 2004 THOMSON ISI

FILE 'EMBASE' ENTERED AT 14:28:56 ON 22 JUN 2004 COPYRIGHT (C) 2004 Elsevier Inc. All rights reserved.

FILE 'BIOTECHDS' ENTERED AT 14:28:56 ON 22 JUN 2004 COPYRIGHT (C) 2004 THOMSON DERWENT AND INSTITUTE FOR SCIENTIFIC INFORMATION

=> s Caenorhabditis elegans and elongase L1 37 CAENORHABDITIS ELEGANS AND ELONGASE

=> dup rem l1

PROCESSING COMPLETED FOR L1

L2 15 DUP REM L1 (22 DUPLICATES REMOVED)

=> s 12 and 1985-1999/py 5 FILES SEARCHED...

L3 0 L2 AND 1985-1999/PY

=> d l2 1-15 ibib ab

FULL ESTIMATED COST

L2 ANSWER 1 OF 15 SCISEARCH COPYRIGHT 2004 THOMSON ISI on STN

ACCESSION NUMBER: 2004:63691 SCISEARCH

THE GENUINE ARTICLE: 759HM

TITLE: Elongation of long-chain fatty acids

AUTHOR: Leonard A E; Pereira S L; Sprecher H; Huang Y S (Reprint)

CORPORATE SOURCE: Abbott Labs, Ross Prod Div, Strateg Res, 625 Cleveland

Ave, Columbus, OH 43215 USA (Reprint); Abbott Labs, Ross Prod Div, Strateg Res, Columbus, OH 43215 USA; Ohio State

Univ, Dept Mol & Cellular Biochem, Columbus, OH 43210 USA

COUNTRY OF AUTHOR: USA

SOURCE: PROGRESS IN LIPID RESEARCH, (JAN 2004) Vol. 43, No. 1, pp.

36-54.

Publisher: PERGAMON-ELSEVIER SCIENCE LTD, THE BOULEVARD,

LANGFORD LANE, KIDLINGTON, OXFORD OX5 1GB, ENGLAND.

ISSN: 0163-7827.

DOCUMENT TYPE: General Review; Journal

LANGUAGE: English REFERENCE COUNT: 130

L2 ANSWER 2 OF 15 HCAPLUS COPYRIGHT 2004 ACS on STN DUPLICATE 1

ACCESSION NUMBER: 2003:891922 HCAPLUS

DOCUMENT NUMBER: 139:376230

TITLE: Plant genes for sequence homologs of enzymes of

polyunsaturated fatty acid biosynthesis and their use

in engineering seed fatty acid profiles

INVENTOR(S): Cirpus, Petra; Renz, Andreas; Lerchl, Jens; Kuijpers,

Anne-Marie

PATENT ASSIGNEE(S): BASF Plant Science GmbH, Germany

SOURCE:

Ger. Offen., 234 pp.

CODEN: GWXXBX

DOCUMENT TYPE:

Patent

LANGUAGE:

German

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

```
APPLICATION NO. DATE
PATENT NO.
               KIND DATE
DE 10219203
               A1
                                DE 2002-10219203 20020429
WO 2003-EP4297 20030425
                      20031113
WO 2003093482 A2 20031113
    W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,
        CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
        GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
       LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM,
        PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT,
        TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ,
       MD, RU, TJ, TM
    RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG,
       CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC,
       NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ,
        GW, ML, MR, NE, SN, TD, TG
```

PRIORITY APPLN. INFO.:

DE 2002-10219203 A 20020429

OTHER SOURCE(S): MARPAT 139:376230

AB Plant genes encoding proteins that show homol. to enzymes of polyunsatd. fatty acid biosynthesis are identified for use in engineering the fatty acid profile of plant products such as seed or seed oils. Genes encoding possible fatty acid .DELTA.5- or .DELTA.6-desaturases and .DELTA.6 unsatd. fatty acid elongases are identified in a no. of plants, mosses, and fungi.

L2 ANSWER 3 OF 15 HCAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER:

2003:678555 HCAPLUS

DOCUMENT NUMBER:

139:209952

TITLE:

Fatty acid elongases identified by sequence homology and cDNAs encoding them and their pharmaceutical,

nutritional and cosmetic uses

INVENTOR(S):

Mukerji, Pradip; Eun-Yeong, Leonard Amanda; Huang,

Yung-Sheng; Pereira, Suzette L.

PATENT ASSIGNEE(S):

USA

SOURCE:

U.S. Pat. Appl. Publ., 233 pp., Cont.-in-part of U.S.

Ser. No. 903,456.

CODEN: USXXCO

DOCUMENT TYPE:

Patent

LANGUAGE:

English

FAMILY ACC. NUM. COUNT:

. 4

PATENT INFORMATION:

PATENT NO.	KIND D	DATE	APPLICATION NO.	DATE
US 2003163845	A1 2	20030828	US 2002-156911	20020529
US 6403349	B1 2	20020611	US 1998-145828	19980902
US 2002138874	A1 2	20020926	US 2001-903456	20010711
US 6677145	B2 2	20040113		
US 2003177508	A1 2	20030918	US 2003-408736	20030404
WO 2003102138	A2 2	20031211	WO 2003-US16863	20030529
			BA, BB, BG, BR, BY	
			DZ, EC, EE, ES, FI	
			JP, KE, KG, KP, KR	
LS, LT,	LU, LV,	MA, MD, MG,	MK, MN, MW, MX, MZ	, NI, NO, NZ, OM,
PH, PL,	PT, RO,	RU, SC, SD,	SE, SG, SK, SL, TJ	, TM, TN, TR, TT,
			ZA, ZM, ZW, AM, AZ	
RU, TJ,				
RW: GH, GM,	KE, LS,	MW. MZ. SD.	SL, SZ, TZ, UG, ZM	. ZW. AT. BE. BG.
			FI, FR, GB, GR, HU	
			BF, BJ, CF, CG, CI	

GW, ML, MR, NE, SN, TD, TG

PRIORITY APPLN. INFO.:

US 1998-145828 A2 19980902 US 1999-379095 A2 19990823 US 2000-624670 A2 20000724 US 2001-903456 A2 20010711 US 2002-156911 A 20020529

The subject invention relates to the identification of several genes AΒ involved in the elongation of polyunsatd. acids (i.e., "elongases") and to uses thereof. At least two of these genes are also involved in the elongation of monounsatd. fatty acids. In particular, elongase is utilized in the conversion of .gamma.-linolenic acid (GLA) to dihomo-.gamma.-linolenic acid (DGLA) and in the conversion of arachidonic acid to adrenic acid (ADA), or eicosapentaenoic acid (EPA) to .omega.3-docosapentaenoic acid (DPA). DGLA may be utilized in the prodn. of polyunsatd. fatty acids, such as arachidonic acid (AA), docosahexaenoic acid (DHA), EPA, adrenic acid, .omega.6-docosapentaenoic acid or .omega.3-docosapentaenoic acid which may be added to pharmaceutical compns., nutritional compns., animal feeds, as well as other products such as cosmetics. Cloning of the fatty acid elongase gene of Mortierella alpina by PCR using primers derived from conserved sequences of the enzyme and adjusted for M. alpina codon usage is demonstrated. Expression of the elongase gene in combination with a .DELTA.5-desaturase gene in Saccharomyces cerevisiae resulted in the appearance of arachidonic acid. The S. cerevisiae fatty acid elongase was unable to convert .gamma.-linolenic acid to dihomo-.gamma.-linolenic acid, although the M. alpina enzyme did so efficiently. Cloning of a cDNA for a fatty acid elongase of Pavlova is also demonstrated.

L2 ANSWER 4 OF 15 HCAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER:

2003:701961 HCAPLUS

DOCUMENT NUMBER:

139:319166

TITLE:

Acyl carriers used as substrates by the desaturases

and elongases involved in very long-chain

polyunsaturated fatty acids biosynthesis reconstituted

in yeast

AUTHOR(S):

Domergue, Frederic; Abbadi, Amine; Ott, Claudia; Zank,

Thorsten K.; Zaehringer, Ulrich; Heinz, Ernst

CORPORATE SOURCE:

Institut fuer Allgemeine Botanik, Universitaet

Hamburg, Hamburg, 22609, Germany

SOURCE:

Journal of Biological Chemistry (2003), 278(37),

35115-35126

CODEN: JBCHA3; ISSN: 0021-9258

Biology

American Society for Biochemistry and Molecular

Journal

DOCUMENT TYPE: LANGUAGE:

PUBLISHER:

English

The health benefits attributed to very long-chain polyunsatd. fatty acids and the long term goal to produce them in transgenic oilseed crops have led to the cloning of all the genes coding for the desaturases and elongases involved in their biosynthesis. The encoded activities have been confirmed in vivo by heterologous expression, but very little is known about the actual acyl substrates involved in these pathways. Using a .DELTA.6-elongase and front-end desaturases from different organisms, we have reconstituted in Saccharomyces cerevisiae the biosynthesis of arachidonic acid from exogenously supplied linoleic acid in order to identify these acyl carriers. Acyl-CoA measurements strongly suggest that the elongation step involved in polyunsatd. fatty acids biosynthesis is taking place within the acyl-CoA pool. In contrast, detailed analyses of lipids revealed that the two desatn. steps (.DELTA.5 and .DELTA.6) occur predominantly at the sn-2 position of phosphatidylcholine when using .DELTA.5- and .DELTA.6-desaturases from lower plants, fungi, worms, and algae. The specificity of these .DELTA.6-desaturases for the fatty acid acylated at this particular position as well as a limiting re-equilibration with the acyl-CoA pool

result in the accumulation of .gamma.-linolenic acid at the sn-2 position of phosphatidylcholine and prevent efficient arachidonic acid biosynthesis in yeast. We confirm by using a similar exptl. approach that, in contrast, the human .DELTA.6-desaturase uses linoleoyl-CoA as substrate, which results in high efficiency of the subsequent elongation step. In addn., we report that .DELTA.12-desaturases have no specificity toward the lipid polar headgroup or the sn-position.

REFERENCE COUNT:

THERE ARE 52 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

ANSWER 5 OF 15 HCAPLUS COPYRIGHT 2004 ACS on STN

52

ACCESSION NUMBER:

2003:194190 HCAPLUS

DOCUMENT NUMBER:

139:243212

TITLE:

Suppression of the ELO-2 FA elongation activity

results in alterations of the fatty acid composition and multiple physiological defects, including abnormal

ultradian rhythms, in Caenorhabditis

elegans

AUTHOR (S):

Kniazeva, Marina; Sieber, Matt; McCauley, Scott;

Zhang, Kang; Watts, Jennifer L.; Han, Min

CORPORATE SOURCE:

Howard Hughes Medical Institute and Department of Molecular, Cellular, and Developmental Biology,

University of Colorado, Boulder, CO, 80309, USA

SOURCE:

Genetics (2003), 163(1), 159-169 CODEN: GENTAE; ISSN: 0016-6731

PUBLISHER:

Genetics Society of America

DOCUMENT TYPE:

Journal English

LANGUAGE:

We use C. elegans to study fatty acid (FA) elongation activities and assocd. abnormal phenotypes. In this article we report that the predicted C. elegans F1 1E6.5/ELO-2 is a functional enzyme with the FA elongation activity. It is responsible for the elongation of palmitic acid and is involved in PUFA biosynthesis. RNAi-mediated suppression of ELO-2 causes an accumulation of palmitate and an assocd. decrease in the PUFA fraction in triacylglycerides and phospholipid classes. This imbalance in the FA compn. results in multiple phenotypic defects such as slow growth, small body size, reproductive defects, and changes in rhythmic behavior. ELO-2 cooperates with the previously reported ELO-1 in 20-carbon PUFA prodn., and .gtoreq.1 of the enzymes must function to provide normal growth and development in C. elegans. The presented data indicate that suppression of a single enzyme of the FA elongation machinery is enough to affect various organs and systems in worms. This effect resembles syndromic

REFERENCE COUNT:

disorders in humans.

39 THERE ARE 39 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

1.2 ANSWER 6 OF 15 HCAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER:

2002:736949 HCAPLUS

DOCUMENT NUMBER:

137:275009

TITLE:

Thraustochytrium fatty acid elongase and cDNA and production of fatty acids for

pharmaceuticals, food and feed, and cosmetics INVENTOR(S): Mukerji, Pradip; Leonard, Amanda Eun-Yeong; Huang,

Yung-Sheng; Pereira, Suzette L.

PATENT ASSIGNEE(S):

Abbott Laboratories, USA

SOURCE:

U.S. Pat. Appl. Publ., 135 pp., Cont.-in-part of U.S.

Ser. No. 624,670.

CODEN: USXXCO

DOCUMENT TYPE:

Patent

LANGUAGE:

FAMILY ACC. NUM. COUNT: 4

English

PATENT INFORMATION:

PATENT NO.

KIND DATE

APPLICATION NO. DATE

DATE

```
US 2002138874
                       Α1
                            20020926
                                           US 2001-903456
                                                             20010711
     US 6677145
                            20040113
                       B2
     US 6403349
                       В1
                            20020611
                                           US 1998-145828
                                                             19980902
     WO 2002008401
                       A2
                            20020131
                                           WO 2001-US23259 20010724
     WO 2002008401
                      A3
                            20030313
            AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,
             CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
             GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
             LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT,
             RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ,
             VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
         RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY,
             DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF,
             BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG
     EP 1309699
                       A2
                           20030514
                                           EP 2001-955933 20010724
         R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
             IE, SI, LT, LV, FI, RO, MK, CY, AL, TR
     US 2003163845
                      A1 20030828
                                           US 2002-156911
                                                            20020529
     US 2003177508
                       A1
                            20030918
                                           US 2003-408736
                                                            20030404
PRIORITY APPLN. INFO.:
                                        US 1998-145828 A2 19980902
                                        US 1999-379095 A2 19990823
                                        US 2000-624670 A2 20000724
                                        US 2001-903456
                                                         Α
                                                            20010711
                                        WO 2001-US23259 W
                                                            20010724
AB
     The long-chain fatty acid elongase and cDNA of Thraustochytrium
     aureum is disclosed. The elongase may be used in the conversion
     of .gamma.-linolenic acid (GLA) to dihomo-.gamma.-linolenic acid (DGLA),
     of arachidonic acid (AA) to adrenic acid (ADA), or eicosapentaenoic acid
     (EPA) to .omega.3-docosapentaenoic acid (DPA). DGLA may be utilized in
     the prodn. of polyunsatd. fatty acids, such as AA, docosahexaenoic acid
     (DHA), EPA, adrenic acid, .omega.6-docosapentaenoic acid or
     .omega.3-docosapentaenoic acid which may be added to pharmaceutical
     compns., nutritional compns., animal feeds, as well as other products such
     as cosmetics.
L2
     ANSWER 7 OF 15
                        MEDLINE on STN
                                                        DUPLICATE 2
ACCESSION NUMBER: 2002179491
                                   MEDLINE
DOCUMENT NUMBER:
                    PubMed ID: 11792704
TITLE:
                    A Saccharomyces cerevisiae gene required for heterologous
                    fatty acid elongase activity encodes a microsomal
                    beta-keto-reductase.
AUTHOR:
                    Beaudoin Frederic; Gable Ken; Sayanova Olga; Dunn Teresa;
                    Napier Johnathan A
CORPORATE SOURCE:
                    Institute of Arable Crops Research-Long Ashton Research
                    Station, Long Ashton, Bristol BS41 9AF, United Kingdom.
SOURCE:
                    Journal of biological chemistry, (2002 Mar 29) 277 (13)
                    11481-8.
                    Journal code: 2985121R. ISSN: 0021-9258.
PUB. COUNTRY:
                    United States
DOCUMENT TYPE:
                    Journal; Article; (JOURNAL ARTICLE)
LANGUAGE:
                    English
FILE SEGMENT:
                    Priority Journals
ENTRY MONTH:
                    200205
ENTRY DATE:
                    Entered STN: 20020326
                    Last Updated on STN: 20030105
                    Entered Medline: 20020510
AΒ
     A number of Saccharomyces cerevisiae membrane-bound oxidoreductases were
     examined for potential roles in microsomal fatty acid elongation, by
     assaying heterologous elongating activities in individual deletion
     mutants. One yeast gene, YBR159w, was identified as being required for
     activity of both the Caenorhabditis elegans
     elongase PEA1 (F56H11.4) and the Arabidopsis thaliana
     elongase FAE1. Ybr159p shows some limited homology to human
     steroid dehydrogenases and is a member of the short-chain alcohol
```

dehydrogenase superfamily. Disruption of YBR159w is not lethal, in

contrast to previous reports, although the mutants are slow growing and display high temperature sensitivity. Both Ybr159p and an Arabidopsis homologue were shown to restore heterologous elongase activities when expressed in ybr159Delta mutants. Biochemical characterization of microsomal preparations from ybr159Delta cells revealed a primary perturbation in beta-ketoacyl reduction, confirming the assignment of YBR159w as encoding a component of the microsomal elongase.

L2 ANSWER 8 OF 15 MEDLINE on STN DUPLICATE 3

ACCESSION NUMBER: 2002245739 MEDLINE DOCUMENT NUMBER: PubMed ID: 11972048

TITLE: Genetic dissection of polyunsaturated fatty acid synthesis

in Caenorhabditis elegans.

AUTHOR: Watts Jennifer L; Browse John

CORPORATE SOURCE: Institute of Biological Chemistry, Washington State

University, Pullman, WA 99164-6340, USA.

CONTRACT NUMBER: R01 GM62521 (NIGMS)

SOURCE: Proceedings of the National Academy of Sciences of the

United States of America, (2002 Apr 30) 99 (9) 5854-9.

Journal code: 7505876. ISSN: 0027-8424.

PUB. COUNTRY: United States

DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)

LANGUAGE: English

FILE SEGMENT: Priority Journals

ENTRY MONTH: 200206

ENTRY DATE: Entered STN: 20020502

Last Updated on STN: 20030105 Entered Medline: 20020611

Polyunsaturated fatty acids (PUFAs) are important membrane components and AB precursors of signaling molecules. To investigate the roles of these fatty acids in growth, development, and neurological function in an animal system, we isolated Caenorhabditis elegans mutants deficient in PUFA synthesis by direct analysis of fatty acid composition. C. elegans possesses all the desaturase and elongase activities to synthesize arachidonic acid and eicosapentaenoic acid from saturated fatty acid precursors. In our screen we identified mutants with defects in each fatty acid desaturation and elongation step of the PUFA biosynthetic pathway. The fatty acid compositions of the mutants reveal the substrate preferences of the desaturase and elongase enzymes and clearly demarcate the steps of this pathway. The mutants show that C. elegans does not require n3 or Delta5-unsaturated PUFAs for normal development under laboratory conditions. However, mutants with more severe PUFA deficiencies display growth and neurological defects. The mutants provide tools for investigating the roles of PUFAs in membrane biology and cell function in this animal model.

L2 ANSWER 9 OF 15 SCISEARCH COPYRIGHT 2004 THOMSON ISI on STN

ACCESSION NUMBER: 2002:741520 SCISEARCH

THE GENUINE ARTICLE: 589VT

TITLE: Cloning and functional characterization of Phaeodactylum

tricornutum front-end desaturases involved in

eicosapentaenoic acid biosynthesis

AUTHOR: Domergue F (Reprint); Lerchl J; Zahringer U; Heinz E

CORPORATE SOURCE: Univ Hamburg, Inst Allgemeine Bot, Ohnhorststr 18, D-22609 Hamburg, Germany (Reprint); Univ Hamburg, Inst Allgemeine

Bot, D-22609 Hamburg, Germany; BASF Plant Sci GmbH,

Ludwigshafen, Germany; Forschungszentrum Borstel, Borstel,

Germany

COUNTRY OF AUTHOR: Germany

SOURCE: EUROPEAN JOURNAL OF BIOCHEMISTRY, (AUG 2002) Vol. 269, No.

16, pp. 4105-4113.

Publisher: BLACKWELL PUBLISHING LTD, P O BOX 88, OSNEY

MEAD, OXFORD OX2 ONE, OXON, ENGLAND.

ISSN: 0014-2956.

DOCUMENT TYPE: Article; Journal

LANGUAGE: English

REFERENCE COUNT: 43

ABSTRACT IS AVAILABLE IN THE ALL AND IALL FORMATS

Phacodactylum tricornutum is an unicellular silica-less diatom in which eicosapentaenoic acid accumulates up to 30% of the total fatty acids. This marine diatom was used for cloning genes encoding fatty acid desaturases involved in eicosapentaenoic acid biosynthesis. Using a combination of PCR, mass sequencing and library screening, the coding sequences of two desaturases were identified. Both protein sequences contained a cytochrome b(5) domain fused to the N-terminus and the three histidine clusters common to all front-end fatty acid desaturases. The full length clones were expressed in Saccharomyces cerevisiae and characterized as Delta5and Delta6-fatty acid desaturases. The substrate specificity of each enzyme was determined and confirmed their involvement in eicosapentaenoic acid biosynthesis. Using both desaturases in combination with the Delta6-specific elongase from Physcomitrella patens, the biosynthetic pathways of arachidonic and eicosapentaenoic acid were reconstituted in yeast. These reconstitutions indicated that these two desaturases functioned in the omega3- and omega6-pathways, in good agreement with both routes coexisting in Phaeodactylum tricornutum. Interestingly, when the substrate selectivity of each enzyme was determined, both desaturases converted the omega3- and omega6-fatty acids with similar efficiencies, indicating that none of them was specific for either the omega3- or the omega6-pathway. To our knowledge, this is the first report describing the isolation and biochemical characterization of fatty acid desaturases from diatoms.

L2 ANSWER 10 OF 15 MEDLINE on STN DUPLICATE 4

ACCESSION NUMBER: 2001545829 MEDLINE DOCUMENT NUMBER: PubMed ID: 11592725

TITLE: Genomic and functional characterization of polyunsaturated

fatty acid biosynthesis in Caenorhabditis

elegans.

AUTHOR: Napier J A; Michaelson L V

CORPORATE SOURCE: IACR-Long Ashton Research Station, Department of

Agricultural Sciences, University of Bristol, United

Kingdom.. jon.napier@bbsrc.ac.uk

SOURCE: Lipids, (2001 Aug) 36 (8) 761-6. Ref: 42

Journal code: 0060450. ISSN: 0024-4201.

PUB. COUNTRY: United States

DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)

General Review; (REVIEW)

(REVIEW, TUTORIAL)

LANGUAGE: English

FILE SEGMENT: Priority Journals

ENTRY MONTH: 200203

ENTRY DATE: Entered STN: 20011011

Last Updated on STN: 20020322

Entered Medline: 20020321

The biosynthetic pathway for polyunsaturated fatty acids in the model animal Caenorhabditis elegans was examined in the context of the completed genome sequence. The genomic organization and location of seven desaturase genes and one elongase activity, all previously identified by functional characterization, were elucidated. A pathway for the biosynthesis of polyunsaturated fatty acids in C. elegans was proposed based on these genes. The role of gene duplication in enzyme evolution and proliferation is discussed.

L2 ANSWER 11 OF 15 HCAPLUS COPYRIGHT 2004 ACS on STN DUPLICATE 5

ACCESSION NUMBER: 2

2000:666883 HCAPLUS

DOCUMENT NUMBER:

133:248957

TITLE:

Protein and cDNA sequences of Caenorhabditis

elegans polysaturated fatty acid (PUFA)

elongase and uses thereof

INVENTOR(S):

Napier, Johnathan A.

PATENT ASSIGNEE(S):

The University of Bristol, UK

SOURCE:

PCT Int. Appl., 42 pp.

CODEN: PIXXD2

DOCUMENT TYPE:

Patent

LANGUAGE:

English

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

```
APPLICATION NO. DATE
    PATENT NO.
                     KIND DATE
    WO 2000055330
                     A1
                           20000921
                                          WO 2000-GB1035 20000320
                     C2
                           20020829
    WO 2000055330
        W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR,
            CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU,
            ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU,
            LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE,
            SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA,
            ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
        RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE,
            DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF,
            CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
    EP 1161542
                      A1 20011212
                                          EP 2000-911091 20000320
            AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
            IE, SI, LT, LV, FI, RO
                                          JP 2000-605748
                                                           20000320
     JP 2002538826
                      T2
                           20021119
    NO 2001004542
                           20010918
                                          NO 2001-4542
                                                           20010918
                      Α
                                                        A 19990318
PRIORITY APPLN. INFO.:
                                       GB 1999-6307
                                       GB 2000-3869
                                                        A 20000218
                                       WO 2000-GB1035
                                                      W 20000320
```

This invention relates to cDNA sequences encoding polysatd. fatty acid AΒ (PUFA) elongase from Caenorhabditis elegans, and applications for the PUFA elongase. A method of synthesizing di-homo-.gamma.-linolenic acid from .gamma.-linolenic acid catalyzed by the PUFA elongase is reported. This invention relates also to expression of the recombinant PUFA elongase of C. elegans in yeast. The invention provides also a method of producing either arachidonic acid or eicosapentanoic acid in yeast from dienoic or trienoic 18 carbon substrates via expression of .DELTA.5-fatty acid desaturases and PUFA elongase simultaneously. The invention further relates to the uses of PUFA elongase in producing a foodstuff, dietary supplement and pharmaceutical prepn. contg. a polyunsatd. fatty acid.

REFERENCE COUNT:

THERE ARE 8 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

ANSWER 12 OF 15 HCAPLUS COPYRIGHT 2004 ACS on STN

8

ACCESSION NUMBER:

2000:161459 HCAPLUS

DOCUMENT NUMBER:

132:218000

TITLE:

Polyunsaturated fatty acid elongase genes

and their cloning and uses in production of commercial

products

INVENTOR (S):

Mukerji, Pradip; Leonard, Amanda Eun-yeong; Huang,

Yung-sheng; Thurmond, Jennifer; Kirchner, Stephen J.; Parker-barnes, Jennifer M.; Das, Tapas

PATENT ASSIGNEE(S):

Abbott Laboratories, USA PCT Int. Appl., 210 pp.

CODEN: PIXXD2

DOCUMENT TYPE:

Patent

LANGUAGE:

SOURCE:

English

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000012720	A2	20000309	WO 1999-US19715	19990830

```
WO 2000012720
                      Α3
                           20000908
        W: AU, BR, CA, CN, CZ, HU, IL, JP, KR, MX, NO, NZ
        RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL,
            PT, SE
    US 6403349
                      В1
                           20020611
                                          US 1998-145828
                                                           19980902
    CA 2341336
                      AΑ
                           20000309
                                          CA 1999-2341336 19990830
    AU 9956964
                      Α1
                           20000321
                                          AU 1999-56964
                                                           19990830
    AU 768301
                           20031204
                      B2
    EP 1108039
                           20010620
                                         EP 1999-943978 19990830
                     A2
        R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
            IE, FI
    JP 2002523098
                      T2
                           20020730
                                          JP 2000-567706
                                                           19990830
                                       US 1998-145828 A 19980902
PRIORITY APPLN. INFO.:
                                       WO 1999-US19715 W 19990830
    The subject invention relates to the identification of four genes involved
    in the elongation of polyunsatd. acids (i.e., "elongases") and to uses
    thereof. Two of these genes are also involved in the elongation of
    monounsatd. fatty acids. Thus, cDNA nucleotide and deduced amino acid
```

AΒ sequences are provided for 2 elongases from Mortierella alpina, 1 elongase from human, and an elongase from Caenorhabditis elegans. In particular, the elongases are utilized in the conversion of .gamma.-linolenic acid (GLA) to dihomo-.gamma.-linolenic acid (DGLA) and in the conversion of DGLA or 20:4n-3 to eicosapentaenoic acid (EPA). DGLA may be utilized in the prodn. of polyunsatd. fatty acids, such as arachidonic acid (AA), docosahexaenoic acid (DHA), EPA, adrenic acid, .omega.6-docosapentaenoic acid or .omega.3-docosapentaenoic acid which may be added to pharmaceutical compns., nutritional compns., animal feeds, as well as other products such as cosmetics.

ANSWER 13 OF 15 MEDLINE on STN DUPLICATE 6

ACCESSION NUMBER: 2000300916 MEDLINE DOCUMENT NUMBER: PubMed ID: 10829069

Heterologous reconstitution in yeast of the polyunsaturated TITLE:

fatty acid biosynthetic pathway.

Beaudoin F; Michaelson L V; Hey S J; Lewis M J; Shewry P R; **AUTHOR:**

Sayanova O; Napier J A

CORPORATE SOURCE: Institute of Arable Crops Research, Long Ashton Research

Station, Department of Agricultural Sciences, University of

Bristol, Long Ashton, Bristol BS41 9AF, United Kingdom. Proceedings of the National Academy of Sciences of the

SOURCE:

United States of America, (2000 Jun 6) 97 (12) 6421-6.

Journal code: 7505876. ISSN: 0027-8424.

PUB. COUNTRY: United States

DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)

LANGUAGE: English

Priority Journals FILE SEGMENT:

ENTRY MONTH: 200007

ENTRY DATE: Entered STN: 20000720

Last Updated on STN: 20000720 Entered Medline: 20000713

AΒ A Caenorhabditis elegans ORF encoding the presumptive condensing enzyme activity of a fatty acid elongase has been characterized functionally by heterologous expression in yeast. (F56H11. 4) shows low similarity to Saccharomyces cerevisiae genes involved in fatty acid elongation. The substrate specificity of the C. elegans enzyme indicated a preference for Delta(6)-desaturated C18 polyunsaturated fatty acids. Coexpression of this activity with fatty acid desaturases required for the synthesis of C20 polyunsaturated fatty acids resulted in the accumulation of arachidonic acid from linoleic acid and eicosapentaenoic acid from alpha-linolenic acid. These results demonstrate the reconstitution of the n-3 and n-6 polyunsaturated fatty acid biosynthetic pathways. The C. elegans ORF is likely to interact with endogenous components of a yeast elongation system, with the heterologous nematode condensing enzyme F56H11.4 causing a redirection of enzymatic

activity toward polyunsaturated C18 fatty acid substrates.

L2 ANSWER 14 OF 15 MEDLINE on STN DUPLICATE 7

ACCESSION NUMBER: 2001301171 MEDLINE DOCUMENT NUMBER: PubMed ID: 11171161

TITLE: Production of C20 polyunsaturated fatty acids (PUFAs) by

pathway engineering: identification of a PUFA

elongase component from Caenorhabditis

elegans.

AUTHOR: Beaudoin F; Michaelson L V; Lewis M J; Shewry P R; Sayanova

O; Napier J A

CORPORATE SOURCE: IACR-Long Ashton Research Station, Long Ashton, Bristol

BS41 9AF, UK.

SOURCE: Biochemical Society transactions, (2000 Dec) 28 (6) 661-3.

Journal code: 7506897. ISSN: 0300-5127.

PUB. COUNTRY: England: United Kingdom

DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)

LANGUAGE: English

FILE SEGMENT: Priority Journals

ENTRY MONTH: 200105

ENTRY DATE: Entered STN: 20010604

> Last Updated on STN: 20010604 Entered Medline: 20010531

AB Using a combination of database-mining and functional characterization, we have identified a component of the polyunsaturated fatty acid (PUFA) elongase. Co-expression of this elongating activity with fatty acid desaturases has allowed us to heterologously reconstitute the PUFA biosynthetic pathway. Both these enzymes (desaturases and elongase components) have undergone gene-duplication events which provide a paradigm for the diverged nature of PUFA biosynthetic activities.

ANSWER 15 OF 15 SCISEARCH COPYRIGHT 2004 THOMSON ISI on STN 1.2

ACCESSION NUMBER: 2001:156426 SCISEARCH

THE GENUINE ARTICLE: 401RD

TITLE: Cloning and functional expression of the first plant fatty

acid elongase specific for Delta(6) -

polyunsaturated fatty acids

AUTHOR . Zank T K; Zahringer U; Lerchl J; Heinz E (Reprint)

CORPORATE SOURCE: Univ Hamburg, Inst Allgemeine Bot, Ohnhorststr 18, D-22609

Hamburg, Germany (Reprint); Univ Hamburg, Inst Allgemeine Bot, D-22609 Hamburg, Germany; Forschungszentrum Borstel, D-23845 Borstel, Germany; BASF AG, D-67056 Ludwigshafen,

Germany

COUNTRY OF AUTHOR: Germany

SOURCE:

BIOCHEMICAL SOCIETY TRANSACTIONS, (DEC 2000) Vol. 28, Part

6, pp. 654-658.

Publisher: PORTLAND PRESS, 59 PORTLAND PLACE, LONDON W1N

3AJ, ENGLAND. ISSN: 0300-5127. Article; Journal

DOCUMENT TYPE:

LANGUAGE: English

REFERENCE COUNT: 26

ABSTRACT IS AVAILABLE IN THE ALL AND IALL FORMATS

In order to elucidate the biosynthesis of long-chain polyunsaturated fatty acids (PUFAs) in plants we searched for a cDNA encoding a Delta (6)-specific PUFA elongase from Physcomitrella patens, which is known to contain high proportions of arachidonic acid (20:4 Delta (5,8,11,14)). A, EST done from P. patens was identified by its low homology to the yeast gene ELO1, which is required for the elongation of medium-chain fatty acids. We functionally characterized this cDNA by heterologous expression in Saccharomyces cerevisiae grown in the presence of several fatty acids. Analysis of the fatty acid profile of the transgenic yeast revealed that the cDNA encodes a protein that leads to the elongation of the C-18 Delta (6)-polyunsaturated fatty acids gamma

-linolenic acid (18:3 Delta (6,9,12)) and stearidonic acid (18:4 Delta (6,9,12,15)), which were recovered to 45-51 % as their elongation products. In contrast, linoleic and a-linolenic acids were hardly elongated and we could not measure any elongation of saturated and mono-unsaturated fatty acids (including 18:1 Delta (6)), indicating that the **elongase** is highly specific for the polyunsaturated nature of the fatty acid acting as substrate.

=> d his

(FILE 'HOME' ENTERED AT 14:27:46 ON 22 JUN 2004)

FILE 'MEDLINE, HCAPLUS, BIOSIS, SCISEARCH, EMBASE, BIOTECHDS' ENTERED AT 14:28:56 ON 22 JUN 2004

L1 37 S CAENORHABDITIS ELEGANS AND ELONGASE
L2 15 DUP REM L1 (22 DUPLICATES REMOVED)

L3 0 S L2 AND 1985-1999/PY

=> log v

=> 104 y		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	49.25	49.67
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	$ exttt{TOTAL}$
	ENTRY	SESSION
CA SUBSCRIBER PRICE	-4.85	-4.85

STN INTERNATIONAL LOGOFF AT 14:34:22 ON 22 JUN 2004